

We claim:

1. An ethylene-vinyl acetate composition comprising a mixture of 20 to 80 weight percent first ethylene-vinyl acetate copolymer having a vinyl acetate content from 9 to 20 weight percent and 80 to 20 weight percent second ethylene-vinyl acetate copolymer having a vinyl acetate content from 22 to 34 weight percent, said mixture having a vinyl acetate content from 10 to 30 weight percent.
2. The composition of Claim 1 wherein the first ethylene-vinyl acetate copolymer has a vinyl acetate content from 12 to 20 weight percent.
3. The composition of Claim 2 wherein the first ethylene-vinyl acetate copolymer comprises 30 to 70 weight percent of the mixture.
4. The composition of Claim 1 wherein the second ethylene-vinyl acetate copolymer has a vinyl acetate content from 24 to 32 weight percent.
5. The composition of Claim 4 wherein the second ethylene-vinyl acetate copolymer comprises 70 to 30 weight percent of the mixture.
6. The composition of Claim 1 wherein the vinyl acetate content of the mixture is 15 to 28 weight percent.
7. The composition of Claim 1 which is melt blended and the melt index of the blend is 5 to 40 g/10 min.
8. The composition of Claim 7 wherein the melt index of the blend is 7 to 35 g/10 min.
9. The composition of Claim 7 wherein the first ethylene-vinyl acetate copolymer has a vinyl acetate content from 12 to 20 weight percent.

10. The composition of Claim 9 wherein the first ethylene-vinyl acetate copolymer comprises 30 to 70 weight percent of the mixture.
11. The composition of Claim 7 wherein the second ethylene-vinyl acetate copolymer has a vinyl acetate content from 24 to 32 weight percent.
12. The composition of Claim 11 wherein the second ethylene-vinyl acetate copolymer comprises 70 to 30 weight percent of the mixture.